

Developmental Screening Project at Group Health Cooperative

Mala Mathur, M.D., M.P.H.

Alison Craig, M.D.



Current American Academy of Pediatrics Recommendations

- *Surveillance* at every well child visit
- *Screening* using a validated screening tool at 9 months, 18 months and 24 or 30 months of age.
- Currently 7 out of 10 U.S. pediatricians surveyed use surveillance alone (Glascoe, 2000)

Evidence Based Research

- The detection rate for developmental delays (Glascoe, 2000):
 - Observation/checklist : 30%
 - Validated screening tool: 70-80%
- The majority of developmental screening takes place in the health care providers office (Sand, 2005).

Evidence Based Research


Research supports the benefits of improved functional outcomes with early identification of children with developmental delays.



Why start a screening project at GHC?

- We currently use checklists
- Evidence base suggests we could do better at identifying delays
- Improve the quality of care
- Meet current national AAP recommendations

Quality Improvement Tool

MODEL FOR IMPROVEMENT CYCLE: ____ DATE: ____	
	Objective for this PDSA Cycle
PLAN:	
QUESTIONS:	
PREDICTIONS:	
PLAN FOR CHANGE OR TEST: WHO, WHAT, WHEN, WHERE	
PLAN FOR COLLECTION OF DATA: WHO, WHAT, WHEN, WHERE	
DO: CARRY OUT THE CHANGE OR TEST; COLLECT DATA AND BEGIN ANALYSIS.	
STUDY: COMPLETE ANALYSIS OF DATA; SUMMARIZE WHAT WAS LEARNED.	
ACT: ARE WE READY TO MAKE A CHANGE? PLAN FOR THE NEXT CYCLE.	


Funding and Technical Support

- The developmental screening project at GHC has been funded by a mini-Medical Home grant from the Department of Health and Family Services and the Regional Center for Children with Special Health Care Needs
- Funding and technical support has also been provided by the NMHAI project sponsored by the federal Maternal and Child Health Bureau.

Pilot Project January-July 2007

- Developmental screening team initial meeting January 2007
- Drs. Craig and Mathur and their nurses implemented process for 9, 18 and 24 month well child checks
- Drafted letter to be sent to parents with the ASQ Survey and a questionnaire for parents for formal feedback about the survey
- Informal feedback throughout the process from reception, nursing, quality department
- Developmental screening team wrap up meeting

GHC Developmental Screening Flowchart



Results

- 211 well child appointments for 9, 18 and 24 month visits
- 119 ASQ screened completed (response rate 56%)
 - 9 month olds: 50 (42%)
 - 18 month olds: 32 (27%)
 - 24 month old: 37 (31%)

This amounts to 4.2 eligible children per week per 1.0 FTE in a pediatric practice at GHC

Results Cont'd

- 24 (20%) children had concerning ASQ.
- 13 were referred to Birth to Three
- The remaining 11 were “borderline” and not referred but had close follow-up plans in the office for re-screening

ASQ versus Checklist

- Of the 24 who did not pass the ASQ, 8 (30%) children did pass the checklist
- This disparity reflects the national data and supports the need to use validated screening tools at well child visits.

Parent Questionnaire

- 90% of parents who responded stated that it took <20 minutes to complete the ASQ
- 95% of parents who responded stated that the ASQ was somewhat or very helpful in understanding their child's development
- A few parents scored it themselves

Benefits of ASQ

- Improved quality of screening based on national guidelines
- Increased parental awareness of developmental milestones and involvement in screening process
- Time saver during the well child check

Barriers

- Change in workflow
- Language barriers
- Educational barriers

Incorporating ASQ into EMR


- Worked with IT staff at GHC
- Barriers (privacy, usability, copyright)
- ASQ questionnaire score sheets scanned into EPIC to specific encounter (office visit)
- Accessibility to all ages ASQ questionnaires and scoring summary sheets on all GHC computers via intranet

Organizational Support

- GHC Provider meeting August 2007
 - Over 20 providers at GHC attended
 - Public Health Partners (Waisman Center) gave presentation on developmental screening
 - Discussed results of GHC Pilot project
 - Gave information about community resources
 - Surveys for providers pre and post presentation


Results of Provider Survey

Percentage of Providers who are aware of the AAP Guidelines for Developmental Screening




GHC Survey- Assessing Development

Currently used methods of assessing development at GHC



GHC Survey- Barriers

Barriers to Developmental Screening



GHC Survey

- 94% of providers surveyed support the using the ASQ at the 9, 18 and 24 month WCC at GHC after the presentation
- 50% of providers would more likely offer a validated screen if knew where to refer

Next Steps

- Organizational Support
- Nursing training and Physician training
- Create systemic workflow for mailing ASQ out to families before appointment
- Long term plan for documenting ASQ Score sheets into EPIC

Lessons Learned

- Connect with Public Health Partners and other providers within your organization
- Plan/Do/Study/Act
- Start small with 1 or 2 providers/physician champions
- Enlist support of administration (Quality Director)
- Be Patient- change can be slow

References

- American Academy of Pediatrics Division of Health Policy Research. 2003. Periodic Survey #53: Executive Summary. Identification of Children <36 months at risk for developmental problems and referral to early identification programs. April 2003
- The Medical Home- AAP Policy Statement from the Medical Home Initiatives for Children with Special Health Care Needs Project Advisory Committee. *Pediatrics*. July 2002, 110(1): 184-186.
- American Academy of Pediatrics Policy Statement: Identifying Infants and Young Children With Developmental Disorders in the Medical Home: An Algorithm for Developmental Surveillance and Screening. *Pediatrics*. 2006;118;405-420.
- Glascoe, FP. Early Detection of Developmental and Behavioral Problems. *Pediatrics in Review*. 2000;21(8);272-280.
- Sand, Nina, Michael Silverstein, Frances Glascoe, Vidya Gupta, Thomas Tonniges and Karen G. O'Connor. Pediatricians' reported practices regarding developmental screening: do guidelines work? Do they help? *Pediatrics* 2005; 116; 174-179.
- Sices, L, C. Fuedtner, J. McLaughlin, D. Drotar and M. Williams. How do primary care physicians manage children with possible developmental delays? A National Survey with an experimental design. *Pediatrics*; 113-274-282.